

Аксессуары для прожекторов аккумуляторных

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: wft@nt-rt.ru || сайт: <https://wolfsafety.nt-rt.ru/>

FLOOD BANK STANDS



FOR XT HANDLAMPS

XT-402, XT-404 & XT-406

MOUNT ZONE 0 HANDLAMPS XT-75 TO CREATE A ZONE 0 FLOOD LIGHT

PRODUCT INFORMATION

For safe use in Hazardous Areas, the Flood Bank Stands accommodate Wolfli® XT Rechargeable Handlamps and exploit their excellent performance and reliability to collectively deliver a bright flood of intense illumination of up to 2,100 lumens.

XT Handlamps can be removed and used by hand if needed for closer inspection

Adjustable angle in frame

Durable 316L stainless steel outer skid to protect the Wolfli®

Cable free for easy use and reduced risk of trips

3 models to choose from for optimum levels of light in workspace

Available in 2, 4 or 6 handlamp bank configurations, the stands can be placed on level ground or mounted on a tripod (available separately) to elevate, direct and focus the light to the desired task working area.

Utilising a stainless steel skid, each stand incorporates handlamp holders with a 'snap-in/snatch-out' function for quick release but secure retention, and allows the bank of handlamps to be manually tilted and locked in position. For maintenance tasks, the banks are easily transportable using the integrated handle.

The handlamps can be removed from the stand in the Hazardous Area and used for close inspection work, or in awkward to reach locations.

The Flood Bank can also act as an emergency backup light source, independent of lead powered lighting. Charging to be carried out in safe area (see XT handlamp sales sheet for full details)

TECHNICAL INFORMATION

FLOOD BANK STANDS			
PRODUCT REFERENCE	XT-402	XT-404	XT-406
PRODUCT DESCRIPTION	Flood Bank Stand		
HANDLAMP CONFIGURATION	x 2	x 4	x 6
STAND MATERIAL	Stainless Steel		
HANDLAMP HOLDER MATERIAL	Impact Resistant Thermoplastic, Electrostatic Non-Hazardous		
DIMENSIONS (LxWxH)	340 x 197 x 451 mm	340 x 352 x 451 mm	340 x 507 x 451 mm
WEIGHT - STAND / HOLDERS ONLY	2.6 Kg	3.6 Kg	4.5 Kg
WEIGHT - WITH HANDLAMPS	5.0 Kg	8.4 Kg	11.7 Kg
LIGHT OUTPUT	860 lm	1,720 lm	2,580 lm

Changes may be made to the above specification without notification, details are available on request. All information has been gathered under laboratory conditions, the user must regard the values given as approximate.

PRODUCT INFORMATION

Wolf Safety provides a comprehensive range of purpose-designed accessories, tailored to maximise the performance and usability of our ATEX and Ex Approved Wolf Air Powered Airlamps. Designed with durability and safety in mind, these accessories ensure you get the most out of your lighting solution, even in the most demanding environments.

KEY INFORMATION

Folding Tripod Stand (A-300)

- Robust tripod stand for securely mounting the airlamp
- Allows the lamp to be angled in multiple directions for optimal lighting
- Tool-free Setup: the airlamp can be fixed to the tripod head without the need for tools
- Space-saving Storage: the tripod folds away effortlessly when not in use

Anti-Static Compressed Air Hose (A-179 and A-180)

- High-quality Construction: special 12mm bore single braid hose made from an anti-static compound
- Length options:
 - 18.3 m (A-179)
 - 36.6 m (A-180)
- Secure attachment: includes stainless steel hose clips for reliable fastening (air line couplings not included to avoid possible incompatibility issues)

Air Line Filters (A-204 and A-206)

- **A-204** (Standard Automatic Drain Filter):
 - Suitable for general applications
 - Air flow rate: **4.48m³/min**
 - Can supply:
 - 5 X Wolf ATEX Turbolites/Turbolites
- **A-206** (Ultra High Efficiency Filter):
 - Recommended for applications requiring superior air quality
 - Air flow rate: **1.67m³/min**
 - Can supply:
 - 2 x Wolf ATEX Turbolites/Turbolites

Performance Considerations

- The ultra high efficiency filter (A206) introduces increased air restriction due to its additional filtration
- Air supply figures are based on a compressor capable of delivering clean, dry air at the appropriate flow rate and pressure
- System performance assumes a well-designed air system with minimal losses
- IMPA Codes: 33 06 54 - A-300 / 33 06 51 - A-179 / 33 06 52 - A-180 / 33 06 53 - A-204

SPARES / ACCESSORIES LIST

MODEL NO.	PRODUCT DESCRIPTION
A-34	Connecting Piece
A-69	Pair of Pressure Regulating Keys
A-1040	Setting and Testing Device
A-1045	Remote Exhaust Hose Kit - 36m Exhaust Hose, Hose Tails, Stainless Steel Exhaust Washer & Silicone Exhaust Washer
A-1082	Hose Fitting Kit - Hose Tail, Overthrow Nut & Connecting Piece
A-146	Key for Nut on Rotor Shaft and Regulator Retainer
A-179	Anti-Static Compressed Air Hose 18.3m
A-180	Anti-Static Compressed Air Hose 36.6m
A-191	Filter Stand
A-204	Filter / Automatic Drain Valve
A-206	High Efficiency Filter / Automatic Drain Valve
A-2041	Filter / Automatic Drain Valve with Stand
A-2061	High Efficiency Filter / Automatic Drain Valve with Stand
A-300	1m Folding Tripod Stand - Stainless Steel

All information has been gathered under laboratory conditions, the user must regard the values given as approximate. Changes may be made to the above specification without notification, details are available on request.

TRIPOD STANDS



WITHOUT COMPROMISE

PRODUCT INFORMATION

These tripods allow Wolf lamps to be positioned at a variety of heights and angles to allow light to be directed exactly where needed. Lightweight and easily transportable, they can extend to a maximum height of 3.5 metres and support up to 40kg.

Once erected, a tripod gives a stable platform allowing LinkEx™ LED Temporary Luminares, LED Floodlights and XT Flood Bank Stands to be used at a variety of heights and positions. The tripods allow the positioning of lamps to deliver vertical or horizontal forward facing light or in the horizontal position the light can be directed upwards illuminating the work area from the underside.

There are two models available:

- LL-699/18 – a medium duty tripod stand that extends to a maximum height of 1.8m
- LL-668/35 - extends up to a maximum height of 3.5m and can support up to 40kg



TRIPOD STANDS

PRODUCT REFERENCE		LL-699/18	LL-668/35
PRODUCT DESCRIPTION		Medium Duty Tripod Stand	Heavy Duty Tripod Stand
MATERIAL		Steel plated	Powder coated mild steel, zinc plated mild steel tube
HEIGHT (EXTENDS TO)		1.8m	3.5m
WIDTH (BASE DIAMETER)		1m	1.38m
LENGTH (IN CLOSED POSITION)		1.38m	1.71m
WEIGHT		6kg	6.4kg
SUITABLE FOR		LX-400/LX-400(E), WF-250XL, WF-300XL and XT-6XX Ranges	
MOUNTING BRACKET	LX-400 / LX-400(E)	LX-670 (L Bracket) LL-670/1 Pipe Clamp	LX-670 (L Bracket) LL-670/1* & LL-670/2 Pipe Clamp [*LL-670/1 Pipe Clamp can only be used on the telescopic section of the LL-668/35 Tripod]
	WF-250XL / WF-300XL	Not Required	LL-669 (optional) Z bracket attached to floodbank/floodlite stands for frequent removal from tripod and repositioning of lamp at ground level.
	XT-6XX		

All information has been gathered under laboratory conditions, the user must regard the values given as approximate. Changes may be made to the above specification without notification, details are available on request.

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: wft@nt-rt.ru || сайт: <https://wolfsafety.nt-rt.ru/>